

WHAT IS CLAIMED IS:

1. An information processing apparatus which
outputs data to be printed to a color image forming
apparatus having a plurality of image forming units,
5 transferring sequentially developed images in color
to a recording medium, and forming a color image,
comprising:

means for converting document data into image
data; and

10 transfer means for transferring the converted
image data in an order in which the data is printed
on the color image forming apparatus in accordance
with a delay among the image forming units of the
color image forming apparatus.

15

2. The apparatus according to claim 1, wherein
said transfer means divides the converted image
data in a band unit and transfers the data.

20 3. The apparatus according to claim 2, wherein
said transfer means compresses the image data
divided in the band unit and transfers the data.

4. The apparatus according to claim 1, wherein
25 before an image on a current page is completely
formed by the color image forming apparatus, forming
an image on a next page can be started by said

transfer means which transfers the image data on the next page before completely transferring the image data on the current page.

- 5 5. The apparatus according to claim 4, further comprising:

 storage means for storing a memory capacity of memory storing image data in the color image forming apparatus; and

- 10 control means for controlling an order in which the divided image data is transferred by said transfer means depending on a data size of the divided image data and the memory capacity.

- 15 6. The apparatus according to claim 5, wherein when a storage capacity of the memory cannot store the image data of the current page and the image data of the next page in an overlapping portion between the current page and the next page in an
20 image forming process, or when a storage capacity of the memory cannot store the image data of the next page and the image data of the current page in an overlapping portion between the current page and the next page in an image forming process, said control
25 means controls to transfer the image data of the next page after transferring the image data of the current page.

7. An information processing method for
outputting data to be printed on a color image
forming apparatus having a plurality of image forming
units, transferring sequentially developed images in
5 color to a recording medium, and forming a color
image, comprising:

a converting step of converting document data
into image data; and

a transfer step of transferring the image data
10 converted in said converting step in an order in
which the data is printed on the color image forming
apparatus in accordance with a delay among the image
forming units of the color image forming apparatus.

15 8. The method according to claim 7, wherein
said transfer step divides the image data
converted in said converting step in a band unit and
transfers the data.

20 9. The method according to claim 8, wherein
said transfer step compresses the image data
divided in the band unit and transfers the data.

10. The method according to claim 7, wherein
25 before an image on a current page is completely
formed by the color image forming apparatus, forming
an image on a next page can be started in said

transfer step which transfers the image data on the next page before completely transferring the image data on the current page.

5 11. The method according to claim 10, further comprising:

 a storing step of storing a memory capacity of memory storing image data in the color image forming apparatus; and

10 a control step of controlling an order in which the converted image data is transferred by said transfer means depending on a data size of the converted image data and the memory capacity.

15 12. The method according to claim 11, wherein when a storage capacity of the memory cannot store the image data of the current page and the image data of the next page in an overlapping portion between the current page and the next page in an
20 image forming process, or when a storage capacity of the memory cannot store the image data of the next page and the image data of the current page in an overlapping portion between the current page and the next page in an image forming process, said control
25 step controls to transfer the image data of the next page after transferring the image data of the current page.

13. A program operated in an information
processing apparatus which outputs data to be printed
on a color image forming apparatus having a plurality
of image forming units, transferring sequentially
5 developed images in color to a recording medium, and
forming a color image, comprising:

a converting step of converting document data
into image data; and

a transfer step of transferring the image data
10 converted in said converting step in an order in
which the data is printed on the color image forming
apparatus in accordance with a delay among the image
forming units of the color image forming apparatus.

15 14. The program according to claim 13, wherein
said transfer step divides the image data
converted in said converting step in a band unit and
transfers the data.

20 15. The program according to claim 14, wherein
said transfer step compresses the image data
divided in the band unit and transfers the data.

25 16. The program according to claim 13, wherein
before an image on a current page is completely
formed by the color image forming apparatus, forming
an image on a next page can be started in said

transfer step which transfers the image data on the next page before completely transferring the image data on the current page.

5 17. The program according to claim 16, further comprising:

 a storing step of storing a memory capacity of memory storing image data in the color image forming apparatus; and

10 a control step of controlling an order in which the converted image data is transferred by said transfer means depending on a data size of the converted image data and the memory capacity.

15 18. The program according to claim 17, wherein when a storage capacity of the memory cannot store the image data of the current page and the image data of the next page in an overlapping portion between the current page and the next page in an
20 image forming process, or when a storage capacity of the memory cannot store the image data of the next page and the image data of the current page in an overlapping portion between the current page and the next page in an image forming process, said control
25 step controls to transfer the image data of the next page after transferring the image data of the current page.

19. A color image forming apparatus which is connected to an information processing apparatus over a communications network, has a plurality of image forming units, transfers sequentially developed
5 images in color to a recording medium, and forms a color image, comprising:

reception means for receiving image data from the information processing apparatus in a printing order in accordance with a delay among the image
10 forming units; and

means for forming an image by sequentially developing an image in color based on the received image data, and transferring the developed image in color to a recording medium.

15

20. The apparatus according to claim 19, wherein

said image data is divided in a band unit.

20 21. A color image forming method for use with an apparatus which is connected to a terminal device over a communications network, has a plurality of image forming units, transfers sequentially developed images in color to a recording medium, and forms a
25 color image, comprising:

a receiving step of receiving image data from the terminal device in a printing order in accordance

with a delay among the image forming units; and
a step of forming an image by sequentially
developing an image in color based on the image data
received in said receiving step, and transferring the
5 developed image in color to a recording medium.

22. The method according to claim 21, wherein
said image data is divided in a band unit.

10 23. A computer-readable program for use with an
apparatus which is connected to a terminal device
over a communications network, has a plurality of
image forming units, transfers sequentially developed
images in color to a recording medium, and forms a
15 color image, comprising:

a receiving step of receiving image data from
the terminal device in a printing order in accordance
with a delay among the image forming units; and

a step of forming an image by sequentially
20 developing an image in color based on the image data
received in said receiving step, and transferring the
developed image in color to a recording medium.

24. The program according to claim 23, wherein
25 said image data is divided in a band unit.